

Receiving Report

Date: 14-10-10

Batch No: 130585

Supplier: ThyssenKrupp

Dart P/O: 25968

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☒ No ☐
 Receipt: Cash ☐ Cr ☒
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC18 Inspection ☒ N/A ☒
 Work Order ☐

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Rec'd | Quantity Short | Quantity Inspected | Quantity Rejected | Comment / NCR Number |
|-------------|-------------|------------------|----------------|----------------|--------------------|-------------------|----------------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Initials of Receiver QC12 SP

Production/Admin: 14-10-10
 Date SP
 Received/Costing SP
 Initial SP

Location

Purchase Order Receipt Listing

Friday, October 10, 2014 8:03:01 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO25968 Receipt Dates from 10/10/2014 to 10/10/2014 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M / Stock U/M | Required Date | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|--|-----------------------|------------|--|-----------------------|---------------|------------------------|----------------------|------------------------------|--|----------------------------|--|
| Vendor ID/Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd | | | | | | | | | | | |
| PO25968 | 7 | | M6061T6S.032 | sf | 10/6/2014 | 10/10/2014 | 192.0000 | \$1.58 | 0.0000 | 0 | \$303.59 |
| CAD | No | | 6061-T6 Sheet 0.032" sf | | 192.0000 | DESJ02 | | \$303.59 | 0.0000 | 0 | |
| | | | m130585 | | | | | | | | |
| | 8 | | M6061T6S.040 | sf | 10/6/2014 | 10/10/2014 | 192.0000 | \$1.72 | 0.0000 | 0 | \$329.30 |
| | No | | 6061-T6 .040 Sheet | sf | 192.0000 | DESJ02 | | \$329.30 | 0.0000 | 0 | |
| | | | m130585 | | | | | | | | |
| | 9 | | M7075T6B1.750X04. f | f | 10/6/2014 | 10/10/2014 | 12.0000 | \$41.37 | 0.0000 | 0 | \$496.45 |
| | No | | 7075-T6 BAR 1.750" f | | 12.0000 | DESJ02 | | \$496.45 | 0.0000 | 0 | |
| | | | X 4.500" material by supplier | | | | | | | | |
| | | | m130585 | | | | | | | | |
| | 12 | | M7075T6B3.000X04. f | f | 10/6/2014 | 10/10/2014 | 16.0000 | \$62.39 | 0.0000 | 0 | \$998.26 |
| | No | | 7075-T6 BAR 3.000" f | | 16.0000 | DESJ02 | | \$998.26 | 0.0000 | 0 | |
| | | | X 4.500" | | | | | | | | |
| | | | m130585 | | | | | | | | |
| | 13 | | 71401-45 | | 10/6/2014 | 10/10/2014 | 1.0000 | \$0.00 | 0.0000 | 0 | \$0.00 |
| | No | | PROCUREMENT QUALITY CLAUSES | | 1.0000 | DESJ02 | | \$0.00 | 0.0000 | 0 | |
| | | | m130585 | | | | | | | | |
| Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity: | | | | | | | | | | | 413.0000 0.0000 0.0000 \$2,127.60 0.0000 |

B I L L O F L A D I N G

No: PEC 900179

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 08Oct14 at 15:05 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-727686- 2 Your PO # 25968
ALUMINUM SHEET 6061 T6

.0400 Nom X 48.0000" X 144.0000"

Heat Number Tag No
397973 340921

Quantity PCS Wt LBS
192.00 SFT 4 108

TOTAL: Tags 1 PCS 4 LBS 108

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

BACK ORDER FROM OUR PREVIOUS B/L# 899977

TOTAL 1 SKID GW. 250 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE

Page: 1Continued

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

1 crate R-13a

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

Guillane Auch.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

B I L L O F L A D I N G

No: PEC 900179

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 08Oct14 at 15:05 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

ADDED TO EVERY ORDER.***

Page: 2 Last

ALUMINIUM - LAITON - CUIVRE - PLASTIQUE - ACIER INOX
ALUMINUM - BRASS - COPPER - PLASTICS - STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

B I L L O F L A D I N G

No: PEC 899977

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 07Oct14 at 15:26 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-727686- 1 Your PO # 25968
ALUMINUM SHEET 6061 T6

.0320 Nom X 48.0000" X 144.0000"

Heat Number Tag No
350237 340464

Quantity PCS Wt LBS
192.00 SFT 4 87

MTR

2) Our Order PEC-727686- 2 Your PO # 25968
ALUMINUM SHEET 6061 T6

.0400 Nom X 48.0000" X 144.0000"

B/O

3) Our Order PEC-727686- 3 Your PO # 25968
Part # AMS 4045 QQ-A-225/12 PLATE Rel #

ALUMINUM PLATE 7075-T651

1.750" THICK X 4.5000" X 144.0000"

Heat Number Tag No
188531 340465

Quantity PCS Wt LBS
4.50 SFT 1 121

MTR

4) Our Order PEC-727686- 4 Your PO # 25968
Part # AMS 4045 QQ-A-225/12 PLATE Rel #

ALUMINUM PLATE 7075-T651

3.00" THICK X 4.5000" X 96.0000"

Heat Number Tag No
616471 340466

Quantity PCS Wt LBS
6.00 SFT 2 274

MTR

TOTAL: Tags PCS Wt LBS
3 7 482

Heat Number *** Chemical Analysis ***

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

B I L L O F L A D I N G
Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 899977
Ship Date 07Oct14 at 15:26 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

=====

B I L L O F L A D I N G

350237

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 BDL, 2 SKIDS GW. 640 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

CERTIFIED INSPECTION REPORT

Alcoa Inc.

DAVENPORT WORKS 4878 State Street Bellefonte, PA 16722

Ship From: RIVERDALE, IA.

This report certifies that the material covered by this certificate has been inspected with, and has been found to meet the applicable requirements described therein, including any special requirements for finding a part of the inspection and final inspection report. This report shall not be reproduced or used for any other purpose without the written approval of the Quality Department. No alteration, addition or other change is authorized in the text of this certificate. The recording of this, addition, or alteration is prohibited. This certificate is valid only as issued by any inspection may be published as a copy under applicable law.

1523913 Ship Date: 2013-05-20 B.L. No. 7979539 Invoice No. 00000 Alcoa No. Item 100047735-1 DP-73735-2 P.O. No./Inv. Control No. 3480-4000 Lot#: 1 CHARLESTON ALUMINUM 6061015475R10

Director of Manufacturing Operations

Quality Assurance Manager

Page 1 of 2

Ship To: CHARLESTON ALUMINUM
4435A NORFOLK BLVD.
BALTIMORE 21218 MD

Item Description
0.032 IN TH (+0.0000 - .0025) X 48.0 IN W (+.046875 - .046875) CMT X D152049 (W) A/P 5061-L6 COIL
SHEET FOR DISTRIBUTORS TO BE USED FOR GROUNDING.
(MARKED) REV N D152049 REV 10 (NOT
20 IN COIL WEIGHT: MAX 7500 LB MAX GROSS SHEET WEIGHT: 6000 LB GUNN TOL +/-
30 % COR D152049 REV 33 EXIST REQ 13-05-
20 *** N/E 13-05-25 ***

| Item | Package Ticket | Lot | Weight | Quantity | TCN | Inspector Check Numbers |
|------|----------------|--------|--------|----------|-----|-------------------------|
| 1 | 518034 | 350237 | 6201 | 1 | PC | 27586 47054 |
| 2 | 518037 | 350237 | 6065 | 1 | PC | 27586 47054 |
| | | | 12266 | 2 | | |

Notes for COR: D152049.33
PRODUCT PRODUCED TO THE REQUIREMENTS OF AMS4027 REV N ALSO MEET THE REQUIREMENTS OF AMS-QC-1-250.11 ORIGINAL REVTSIO N DATED 1997-08-01.

COR: D152049.33 -Specification Limit

| Temp | UTS | TYS | ELAD |
|----------------------|-----|-----------|--|
| UTS | KSI | KSI | PCF |
| Long Transv. | Max | Min | 42.0 35.0 10 |
| Chemical Composition | SI | FE | CU |
| Alloy 6061 | Max | 0.8 0.7 | 0.40 0.15 1.2 0.35 0.25 0.15 0.05 0.15 |
| | Min | 0.40 0.15 | 0.8 0.04 |
| | | | Other Other |
| | | | REMARK |

- 1) SOLD TO: COPPER & BRASS SALES
- 2) P.O. #: 5400221653-R01
- 3) C & B MATERIAL #: ALFLR01643
- 4) TOMMY CRANFORD

ADMINISTRATION DEPT.

CHARLESTON ALUMINUM, LLC.

From: ThyssenKrupp Materials NA
Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403424515
CstAr CstOr 261845
Wgt.: 86.704 LB Date 10/01/2014

John L. Zambetti

CERTIFIED INSPECTION REPORT

We hereby certify that the material covered by this certificate has been inspected fully, and has been found to meet the applicable requirements of the specification, including any special conditions forming a part of the description and test samples representative of the material. The inspection was conducted in accordance with the methods and procedures shown on the form of this class. This inspection shall not be repeated except in a case where the material is found to be defective. The inspection was conducted by a person who is a member of the American Society of Nondestructive Test Engineers or an equivalent organization. The inspection was conducted in accordance with the methods and procedures shown on the form of this class. The inspection was conducted in accordance with the methods and procedures shown on the form of this class. The inspection was conducted in accordance with the methods and procedures shown on the form of this class.

Red Alford

Rob Woodall

James Dean

Page 2 of 2

Alcoa Inc.

DAVENPORT WORKS 4879 State Street Belford, IA 52722

Ship From: RIVERDALE, IA.

1523613

B.I. No.

Invoice No.

Alcoa No. Item

2013-05-20

7979539

00000

100473735-1

DE-73735-1

P.O. No./Buyer Contract No.

Customer

Alcoa Item

3480-1642 Lmt: 1

CHARLESTON ALUMINUM CO. 1015475810

COB: D152049.33 - Specification Limits (cont.)

Lot: 350237 - Mechanical, Physical, Metallurgy, Quantometer Results

| Temp | Dir | No. 2 | UTS | YS | ELAD |
|------|--------------|-------|------|------|------|
| 16 | Long Transv. | 2 | 48.8 | 40.3 | 13.7 |
| | | | 48.8 | 39.8 | 14.1 |

Cast Number: Chemical - OES SI PE CF MN MG CR ZN Y

13740043 Actuals 0.64 0.4 0.24 0.06 1.0 0.17 0.02 0.02

This material was melted in the United States or a Qualifying Country under DPMs 225.672.1(a); it was manufactured in the United States

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403424515

CstAr

CstOr 261845

Wgt.: 86.704 LB

Date 10/01/2014

John L. Zumbatti



North American
Rolled Products
Customer Sales & Service
4870 State Street
PO Box 8001
Battendorf, IA 52722
Tel: 1-800-523-9595
Fax: 1-577-359-1450

May 7, 2013

Charleston Aluminum

RE: REACH Status of aluminum sheet and plate – Davenport Works

Regarding your inquiry on the status of the above referenced aluminum sheet and plate you purchase from Alcoa, please be assured that these products are in compliance with REACH. Aluminum sheet and plate is considered an article and as such, aluminum sheet and plate and further processed articles are not subject to registration.

Alcoa, Inc. is aware of and familiar with the requirements of Regulation (EC) No. 1907/2006 (REACH). Consistent with the definition of "article" under Article 3 of the REACH regulations and also consistent with Information in REACH Implementation Project 3.8, rolled, extruded, cast, forged aluminum stock, including the above reference aluminum sheet and plate, is an article and as such, cannot be pre-registered with the European Chemical Agency (ECHA). The requirements of Article 7 of REACH (Registration and notification of substances in articles) do not apply to the above products.

Alcoa is monitoring the substances on the candidate list, which will be modified periodically. Our products do not contain any substances currently on the candidate list as updated by the ECHA on June 18, 2012. Also, we do not expect the substances in any of our products to be included in the candidate list in the future.

General Alcoa REACH information can be found at
http://www.alcoa.com/global/en/environment/reach_europe.asp.

If you have any question regarding Alcoa products and REACH, you can
Address your commercial contact or the Alcoa REACH Team at
REACHTeam@alcoa.com.

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403424515

CstAr CstOr 261845

Wgt.: 86.704 LB Date 10/01/2014

Certificate of Compliance
European Environmental Legislation
RoHS Directive 2011/65/EU

Issued by: Alcoa Inc., Davenport Works
4879 State Street, Riverdale, Iowa 52722

I hereby certify that the metals supplied by Davenport Works meet the intent of RoHS Directive 2011/65/EU of June 8, 2011.

That is, Alcoa Inc, Davenport Works does not intentionally add any of the RoHS Directive 2011/65/EU banned substances, listed below, to any metal produced. However, there may be trace amounts of the banned substances present at levels below those listed in the table below.


| Substance | Maximum Concentration |
|---------------------------------------|-----------------------|
| Lead | 0.1% |
| Mercury | 0.1% |
| Cadmium | 0.01% |
| Hexavalent Chrome | 0.1% |
| Polybrominated biphenyls (PBB) | 0.1% |
| Polybrominated diphenyl ethers (PBDE) | 0.1% |

Issued by: John N. Mitchell



John N. Mitchell
Environmental Specialist
Alcoa Inc., Davenport Works

From: ThyssenKrupp Materials NA
Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403424515
CstAr CstOr 261845
Wgt.: 86.704 LB Date 10/01/2014





CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC



COPPER & BRASS SALES, INC.
5 STERLING DRIVE
WALLINGFORD CT

06492-2438



COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

48086

3

COPPER&BR C37302 4075 INCLUSION SERIAL#: 20140626C37302 PAGE 1 OF 3

| | | | | | |
|--|------|---------------|---------|-----------------------|---------|
| CUSTOMER PURCHASE ORDER NO. & ITEM | | | | Constellium ORDER NO. | |
| 5400219208 | | | | 235-473897 | |
| ALLOY | CLAD | TEMPER | GAUGE | WIDTH | LENGTH |
| 7075 | 00 | T651 | 1.78000 | 48.500 | 144.500 |
| ITEM ORDERED | | | | | |
| MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL | | | | | |
| CUSTOMER SPECIFICATION | | | | | |
| AMS-QQ-A-250/12 REV. A | | | | | |
| PART NUMBER | | B/L NUMBER | | DATE SHIPPED | |
| ALFLR00996 | | C37300 | | 06/30/14 | |
| WEIGHT SHIPPED | | NO. OF PIECES | | GOVT. CONTRACT NO. | |
| 11,730 | | 9 | | | |

CERTIFICATION

"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
859 Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Steve Good
Steve Good - Laboratory Manager

| LOT NUMBER | TEST DIRECTION | NO. OF TESTS | ULTIMATE STRENGTH K.S.I. | | YIELD STRENGTH K.S.I. | | ELONGATION % | | COND % IACS | | | | | | | | | | |
|--|-------------------|---------------------------------|--------------------------|------|-----------------------|--------|---------------|-----------|-------------|-----------|------|----------|------|------|------|----------|------|--------------|---------------|
| | | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | | | | | | | | | |
| 188531 | LT | 2 | ***** T651 80.2 | 80.6 | 69.7 | 70.4 | ***** 11.5 | 12.5 | | | | | | | | | | | |
| All material contained in lot 188531 was cast and manufactured in the USA. | | | | | | | | | | | | | | | | | | | |
| 188551 | LT | 2 | 80.8 | 81.0 | 70.6 | 70.9 | 11.0 | 11.5 | | | | | | | | | | | |
| All material contained in lot 188551 was cast and manufactured in the USA. | | | | | | | | | | | | | | | | | | | |
| 188561 | LT | 2 | 80.4 | 80.8 | 70.0 | 70.2 | 11.5 | 12.0 | | | | | | | | | | | |
| All material contained in lot 188561 was cast and manufactured in the USA. | | | | | | | | | | | | | | | | | | | |
| ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS | | | | | | | | | | | | | | | | | | | |
| ASTM B209-10, AMS 4045K | | | | | | | | | | | | | | | | | | | |
| CHEM COM P | ALLOY | SILICON | | IRON | | COPPER | | MANGANESE | | MAGNESIUM | | CHROMIUM | | ZINC | | TITANIUM | | OTHERS | |
| | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | EACH MAX. | TOTAL MAX. |
| | | SEE ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | |
| | | ALUMINUM REMAINDER | | | | | | | | | | | | | | | | | |

P-860-155D Revised: 02/2014

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403424765

CstAr CstOr 261845

Wgt.: 121.125 LB Date 10/02/2014

John L. Zambetti



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC



COPPER & BRASS SALES, INC.
5 STERLING DRIVE
WALLINGFORD CT

06492-2438



COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

48086

COPPER&BR C37302 4075 INCLUSION SERIAL#: 20140626C37302 PAGE 2 OF 3

| | | | | | |
|--|-------|---------------|---------|-----------------------|---------|
| CUSTOMER PURCHASE ORDER NO. & ITEM | | | | Constellium ORDER NO. | |
| 5400219208 | | | | 235-473897 | |
| ALLOY | CLAD. | TEMPER | GAUGE | WIDTH | LENGTH |
| 7075 | 00 | T651 | 1.78000 | 48.500 | 144.500 |
| ITEM ORDERED | | | | | |
| MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL | | | | | |
| CUSTOMER SPECIFICATION | | | | | |
| AMS-QQ-A-250/12 REV. A | | | | | |
| PART NUMBER | | B/L NUMBER | | DATE SHIPPED | |
| ALFLR00996 | | C37300 | | 06/30/14 | |
| WEIGHT SHIPPED | | NO. OF PIECES | | GOVT. CONTRACT NO. | |
| 11,730 | | 9 | | | |

CERTIFICATION

"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
859 Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Steve Good
Steve Good - Laboratory Manager

| LOT NUMBER | TEST DIRECTION | NO. OF TESTS | ULTIMATE STRENGTH K.S.I. | | YIELD STRENGTH K.S.I. | | ELONGATION % | | COND % IACS | | | | | | | | | | |
|-----------------------------|-------------------|---------------------------------|--------------------------|------------------------|-----------------------|----------|--------------|-----------|-------------|-----------|------|----------|------|------|------|--------------|---------------|--------|--|
| | | | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | | | | | | | | | |
| ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | | | |
| 188531 | C | SI= 0.09 | FE= 0.16 | CU= 1.56 | MN= 0.03 | MG= 2.66 | | | | | | | | | | | | | |
| | | CR= 0.21 | ZN= 5.65 | TI= 0.03 | ZR= 0.01 | | | | | | | | | | | | | | |
| | | OTHERS-EACH: .05 MAX. | | OTHERS TOTAL: .15 MAX. | | AL | REMAINDER | | | | | | | | | | | | |
| 188551 | C | SI= 0.09 | FE= 0.16 | CU= 1.56 | MN= 0.03 | MG= 2.66 | | | | | | | | | | | | | |
| | | CR= 0.21 | ZN= 5.65 | TI= 0.03 | ZR= 0.01 | | | | | | | | | | | | | | |
| | | OTHERS-EACH: .05 MAX. | | OTHERS TOTAL: .15 MAX. | | AL | REMAINDER | | | | | | | | | | | | |
| 188561 | C | SI= 0.09 | FE= 0.16 | CU= 1.56 | MN= 0.03 | MG= 2.66 | | | | | | | | | | | | | |
| | | CR= 0.21 | ZN= 5.65 | TI= 0.03 | ZR= 0.01 | | | | | | | | | | | | | | |
| | | OTHERS-EACH: .05 MAX. | | OTHERS TOTAL: .15 MAX. | | AL | REMAINDER | | | | | | | | | | | | |
| CHEM COMP | ALLOY | SILICON | | IRON | | COPPER | | MANGANESE | | MAGNESIUM | | CHROMIUM | | ZINC | | TITANIUM | | OTHERS | |
| | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | EACH MAX. | TOTAL MAX. | | |
| | | SEE ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | |
| ALUMINUM REMAINDER | | | | | | | | | | | | | | | | | | | |

P-850-155D Revised 02/2014

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403424765

CstAr

CstOr 261845

Wgt.: 121.125 LB

Date 10/02/2014

John R. Zambetti



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC



COPPER & BRASS SALES, INC.
5 STERLING DRIVE
WALLINGFORD CT

06492-2438



COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

48086

COPPER&BR C37302 4075 INCLUSION SERIAL#: 20140626C37302 PAGE 3 OF 3

| | | | | | |
|--|-------|---------------|---------|-----------------------|---------|
| CUSTOMER PURCHASE ORDER NO. & ITEM | | | | Constellium ORDER NO. | |
| 5400219208 | | | | 235-473897 | |
| ALLOY | CLAD. | TEMPER | GAUGE | WIDTH | LENGTH |
| 7075 | 00 | T651 | 1.78000 | 48.500 | 144.500 |
| ITEM ORDERED | | | | | |
| MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL | | | | | |
| CUSTOMER SPECIFICATION | | | | | |
| AMS-QQ-A-250/12 REV. A | | | | | |
| PART NUMBER | | B/L NUMBER | | DATE SHIPPED | |
| ALFLR00996 | | C37300 | | 06/30/14 | |
| WEIGHT SHIPPED | | NO. OF PIECES | | GOVT CONTRACT NO | |
| 11,730 | | 9 | | | |

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
859 Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Steve Good
Steve Good - Laboratory Manager

| LOT NUMBER | TEST DIRECTION | NO. OF TESTS | ULTIMATE STRENGTH K.S.I. | | YIELD STRENGTH K.S.I. | | ELONGATION % | | COND % IACS | | | | | | | | | | |
|--|-------------------|---------------------------------|--------------------------|------|-----------------------|--------|--------------|-----------|-------------|-----------|------|----------|------|------|------|----------|------|--------------|---------------|
| | | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | | | | | | | | | |
| THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. | | | | | | | | | | | | | | | | | | | |
| CHEMISTRY BY OES: ARKSPARK | | | | | | | | | | | | | | | | | | | |
| CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT. | | | | | | | | | | | | | | | | | | | |
| WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399. | | | | | | | | | | | | | | | | | | | |
| WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557. | | | | | | | | | | | | | | | | | | | |
| Mark Paperwork: ALFLR00996 | | | | | | | | | | | | | | | | | | | |
| DUNS Number: 090570149; CAGE Code: 1YWL9 | | | | | | | | | | | | | | | | | | | |
| Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product. | | | | | | | | | | | | | | | | | | | |
| "END OF CERTIFICATION" | | | | | | | | | | | | | | | | | | | |
| CHEM COMP | ALLOY | SILICON | | IRON | | COPPER | | MANGANESE | | MAGNESIUM | | CHROMIUM | | ZINC | | TITANIUM | | OTHERS | |
| | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | EACH MAX. | TOTAL MAX. |
| | | SEE ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | |
| ALUMINUM REMAINDER | | | | | | | | | | | | | | | | | | | |

P-860-155D Revised: 02/2014

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403424765

CstAr CstOr 261845

Wgt.: 121.125 LB Date 10/02/2014

John R. Zambetti

CERTIFIED INSPECTION REPORT

Alcoa Inc.

DAVENPORT WORKS 4879 State Street Bellendorf, IA 52722

Ship From: RIVERDALE, IA.

We hereby certify that the material covered by this certificate has been inspected with, and has been found to meet the applicable requirements described therein, including any specifications forming a part of the description and that samples representative of the material meet the composition limits and that the mechanical properties shown on the face of this sheet.

The test report shall not be reproduced except in full, without the written approval of the Quality Department. No alteration, addition or other change is authorized to be made to this certificate. The recording of tests, features, or otherwise fraudulent statements or omissions on this certificate by any recipient may be punished as a felony under applicable law.

Per:

Director of Manufacturing Davenport Works

Quality Assurance Manager

Page 1 of 2

1658865 Ship Date 2013-11-16 B.L. No. 0 Invoice No. 8907993 Alcoa No. Item 1000534283-2 DP-34283-2

P.O. No./Govt Contract No. 5400198275 Ltr# 0020 C&B G041044568R07 Customer Alcoa Item

Ship To: COPPER & BRASS SALES INC

5 STERLING DR
MALLINGFORD 06492 CT

Item Description
3.03 IN TK (+.170 -0.00) X 60.5 IN W (+.375 -0.000) X 144.5 IN LN (+.5 -0.0) CMT X 090980-4 (N) A/T 7075-T651 RECTANGULAR MIL. FINISH, SAME. EXC TK TL AMS-QQ-A-250/12 IS 2007 EXC MKR, OIL, TK TL AMS4045 REV X. EXC_MKR, TK TL ASTM209 REV 10 ((MAXED)) KRAFT PAPER INTERLEAVED MAX

GROSS SKID WGT: 4500 LB QUAN TOL +/-30 %
CQR 0202271 REV 07 CUST REQ 13-11-13 *** W/E 13-11-16 ***

| Num | Package Ticket | Lot | Weight | Quantity | UOM | Inspector | Clock Numbers |
|-----|----------------|--------|--------|----------|-----|-----------|---------------|
| 1 | 578161 | 616471 | 2775 | 1 | PC | 47423 | |
| 2 | 578195 | 616472 | 2771 | 1 | PC | 47423 | |
| 3 | 578199 | 616471 | 2773 | 1 | PC | 47423 | |
| 4 | 578200 | 616472 | 2775 | 1 | PC | 47423 | |
| | | | 11094 | 4 | | | |

Notes for CQR: 0202271.7
PRODUCT PRODUCED AND MARKED TO THE REQUIREMENTS OF AMS-QQ-A-250/12 ALSO MEETS THE REQUIREMENTS OF QQ-A-250/12F. PROD UCT PRODUCED AND MARKED TO THE REQUIREMENTS OF QQ-A-250/12 F ALSO MEETS THE REQUIREMENTS OF AMS-QQ-A-250/12.

CQR: 0202271.7 -Specification Limits

| Temp Dir | UTS | TYS | ELAD |
|-------------------|------|------|------|
| T651 Long Transv. | KSI | KSI | PCT |
| Max | | | |
| Min | 71.0 | 59.0 | 5 |

Custor 261845
Date 10/03/2014

Del.: 2403424495

Cust. THYSSENKRUPP MATERIALS NA - ECAD
From: ThyssenKrupp Materials NA

John R. Smith

DAVENPORT WORKS 4879 State Street Balford IA 53222

Page 2 of 2

5400198275 Ln#: 0020 C&B G041044568R07

- ECAD Del.: 2403424495
Cstor 261845
Date 10/03/2014

John J. Smith

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 117075 TL683.000x4.500
 DATE: 11-10-22

PO / BATCH NO.: 025965/M130585

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 16 Ft
 QUANTITY INSPECTED: 16 Ft
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 3.00"
 THICKNESS RECEIVED: 3.00"
 SHEET SIZE ORDERED:
 SHEET SIZE RECEIVED:

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|---|-------------------------------|
| SURFACE DAMAGE | Y <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y N | |
| CORROSION | Y <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y N | |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y N | |
| PHOTO REQUIRED | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y N | |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y N | <u>H# 66471</u> |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y N | <u>117075 TL 3.00 x 4.500</u> |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y N | <u>M130585</u> |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y <input checked="" type="radio"/> N | |

| CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|-------------------------|-----------------------------------|
| INSPECTED BY: <u>PD</u> | SIGNED OFF BY: _____ |
| DATE: <u>11-10-22</u> | DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075 T6B1.750 x 4.500

PO / BATCH NO.: P025968 / M130585

DATE: 14-10-20

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.750"
 THICKNESS RECEIVED: 1.750"
 SHEET SIZE ORDERED: —
 SHEET SIZE RECEIVED: —

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|--------------------------------------|------------------------|
| SURFACE DAMAGE | Y <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y N | |
| CORROSION | Y <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y N | |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y N | |
| PHOTO REQUIRED | Y <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y N | Q0-A-250/12 |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y N | 188531 |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y N | M7075 T6B1.750 x 4.500 |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y N | M130585 |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y <input checked="" type="radio"/> N | |

| CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|-------------------------------|-----------------------------------|
| INSPECTED BY: <u>14-10-21</u> | SIGNED OFF BY: _____ |
| DATE: <u>14</u> | DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T65.040
 DATE: 14.10.20

PO / BATCH NO.: 825963 / M130585

MATERIAL CERT REC'D: Y63
 QUANTITY RECEIVED: 192 sq/ft
 QUANTITY INSPECTED: 192 sq/ft
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .040"
 THICKNESS RECEIVED: .040"
 SHEET SIZE ORDERED: 4'x8'
 SHEET SIZE RECEIVED: 4'x8'

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|--|-----------------------|-----|--------------|
| SURFACE DAMAGE | Y | (N) | |
| CORRECT FINISH | (Y) | N | |
| CORROSION | Y | (N) | |
| CORRECT GRAIN DIRECTION | (Y) | N | |
| CORRECT MATERIAL | (Y) | N | |
| CORRECT THICKNESS | (Y) | N | |
| PHOTO REQUIRED | (Y) | (N) | |
| CORRECT MATERIAL | (Y) | N | AMS 4027 |
| CORRECT REF # TO LINK CERT | (Y) | N | 350237 |
| CORRECT MATERIAL IDENTIFICATION | (Y) | N | M6061T65.040 |
| CORRECT M# ON THE MATERIAL | (Y) | N | M130585 |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | (N) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | (N) | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|-------------------------|-----------------------------------|
| INSPECTED BY: <u>PD</u> | SIGNED OFF BY: _____ |
| DATE: <u>14.10.20</u> | DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 .032"
 DATE: 14-10-20

PO / BATCH NO.: P025968 / M130585

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 192 sq/ft
 QUANTITY INSPECTED: 192 sq/ft
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .032"
 THICKNESS RECEIVED: .032"
 SHEET SIZE ORDERED: 4'x8'
 SHEET SIZE RECEIVED: 4'x8'

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|-----------------------|---------------|
| SURFACE DAMAGE | Y (N) | |
| CORRECT FINISH | (Y) N | |
| CORROSION | Y (N) | |
| CORRECT GRAIN DIRECTION | (Y) N | |
| CORRECT MATERIAL | (Y) N | |
| CORRECT THICKNESS | (Y) N | |
| PHOTO REQUIRED | Y (N) | |
| CORRECT MATERIAL | (Y) N | AKS4027 |
| CORRECT REF # TO LINK CERT | (Y) N | 350237 |
| CORRECT MATERIAL IDENTIFICATION | (Y) N | M6061T6 .032" |
| CORRECT M# ON THE MATERIAL | (Y) N | M130585 |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y (N) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y (N) | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| | |
|--|-------------------------------------|
| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
| INSPECTED BY: <u>PD</u> DATE: <u>14-10-20</u> | SIGNED OFF BY: _____ DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO25968**

Purchase Order Date 9/30/2014

PO Print Date 10/1/2014

Page Number 3 of 5

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Total:

\$54.60

6 M6061T6R3.500

6061 RD bar 3.50

10/6/2014

Yes

10/6/2014

6.00

\$28.20

\$169.20

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total:

\$169.20

7 M6061T6S.032

6061-T6 Sheet 0.032"

10/6/2014

Yes

10/6/2014

192.00

sf

\$1.77

\$340.00

MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER
QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
OR ASTM B209

DAS
9
9.89

14-022

Line Total:

\$340.00

Note:

10/1/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO25968

Purchase Order Date 9/30/2014

PO Print Date 10/1/2014

Page Number 4 of 5

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

8 M6061T6S.040

6061-T6 .040 Sheet

10/6/2014

Yes

10/6/2014

192.00

sf

\$1.92

\$368.80

MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER
QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
OR ASTM B209

DAS
9
9-89
14-10-22

SP14-10-10

Line Total:

\$368.80

M7075T6B1.750X04.500

7075-T6 BAR 1.750" X
4.500" material by supplier

10/6/2014

Yes

10/6/2014

12.00

\$46.33

\$556.00

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR PER AMS-QQA-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11
OR FROM PLATE QQ-A-250/12

DAS
9
9-89
14-10-22

SP14-10-10

Line Total:

\$556.00

12 M7075T6B3.000X04.500

7075-T6 BAR 3.000' X
4.500"

10/6/2014

Yes

10/6/2014

16.00

\$69.88

\$1,118.00

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR PER AMS-QQA-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11
OR FROM PLATE QQ-A-250/12

DAS
9
9-89
14-10-22

SP14-10-10

2 PCS OF 8 FT

Note:

10/1/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO25968**

Purchase Order Date 9/30/2014

PO Print Date 10/1/2014

Page Number 5 of 5

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Total:

\$1,118.00

13 71401-45

PROCUREMENT
QUALITY CLAUSES

10/6/2014

1.00

\$0.00

\$0.00

No

10/6/2014

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality document

Line Total:

\$0.00

PO Total:

\$3,822.05

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr:

4

Change Date: 10/1/2014